


# PRICE LIST

EFFECTIVE  
OCTOBER 1, 1975



## The French Eclair NPR

**NPR** 16mm  
CAMERA  
**PRICE LIST**  
EFFECTIVE OCTOBER 1, 1975  
Prices and specifications subject to change  
without notice  
Prices F.O.B. Hollywood, California

ORDER CODE	DESCRIPTION	PRICE
------------	-------------	-------

**NPR CAMERA PACKAGES**

- |      |  |             |
|------|--|-------------|
| 1101 | <p><b>eclair NPR with Beala III motor:</b><br/>includes NPR camera body with double lens turret accepting one CA-1 mount lens and one "C" mount lens, carrying handle, side handle, clapper light, rotating reflex mirror shutter, pin registered movement, magazine drive system, and ground glass with 16mm full aperture and TV safe action area markings; 12 volt DC Beala III motor crystal controlled at 24 and 25 fps accurate to <math>\pm 10</math> ppm, variable speed from 4 to 40 fps controlled by rheostat and indicated by tachometer, built-in sync pulse generator with frequencies of 50, 60 and 100 Hz, always stops with mirror shutter in viewing position, automatic or manual clapper system, out-of-sync warning light, and motor tripod adapter; supplied with one 400' coaxial, snap-on, instant change magazine, Angenieux orientable viewfinder, camera coupling cover cap, viewfinder cover cap, coiled power cable, deep flotation camera and accessory case with dense custom die-cut foam, case for two magazines, camera aperture and gate protection plate, magazine front protection cover, CA-1 mount cavity cap, "C" mount cavity cap, instruction manual, film test, and warranty card</p> | \$13,000.00 |
| 1102 | <p><b>eclair NPR with Perfectone motor:</b><br/>same as 1101 except Perfectone Compact Universal motor instead of Beala III motor; 12 volt DC motor crystal controlled at 24 and 25 fps accurate to <math>\pm 10</math> ppm, variable speed from 8 to 40 fps controlled by rheostat marked by graduated increments, built-in sync pulse generator with frequencies of 50, 60, and 100 Hz, always stops with mirror shutter in viewing position, automatic clapper system, out-of-sync warning light, lightweight, needs no tripod adapter</p>  | 13,000.00   |

**LENS PACKAGES\***

*\*Special price when ordered in conjunction with any Eclair camera package.*

- |       |  |         |
|-------|--|---------|
| 1801P | Angenieux 12-20mm f/2.2 T2.5 zoom lens in CA-1 mount             | 1971.00 |
| 1802P | Angenieux 9.5-57mm f/1.6 T1.9 zoom lens in CA-1 mount            | 2425.00 |
| 1803P | Angenieux 10-150mm T2.3-T3.2 close-focus zoom lens in CA-1 mount | 2565.00 |
| 1804P | Angenieux 9.5-95mm f/2.2 T2.8 zoom lens in CA-1 mount            | 3091.00 |
| 1805P | Angenieux 12-240mm f/3.5 T4.2 zoom lens in CA-1 mount            | 5535.00 |
| 1806P | Angenieux 25-250mm f/3.2 T3.9 zoom lens in CA-1 mount            | 5715.00 |
| 1810P | Canon 12-120mm f/2.2 T2.7 macrozoom lens in CA-1 mount           | 1935.00 |

**MOTORS**


- |      |   |         |
|------|---|---------|
| 1201 | <p><b>Beala III motor</b><br/>12 volt DC motor crystal controlled at 24 and 25 fps accurate to <math>\pm 10</math> ppm, variable speed from 4 to 40 fps controlled by rheostat and indicated by tachometer, built-in sync pulse generator with frequencies of 50, 60, and 100 Hz, always stops with mirror shutter in viewing position, automatic or manual clapper system, and out-of-sync warning light (needs motor tripod adapter 1607)</p>             | 3250.00 |
| 1202 | <p><b>Perfectone Compact Universal motor</b><br/>12 volt DC motor crystal controlled at 24 and 25 fps accurate to <math>\pm 10</math> ppm, variable speed from 8 to 40 fps controlled by rheostat marked by graduated increments, built-in sync pulse generator with frequencies of 50, 60, and 100 Hz, always stops with mirror shutter in viewing position, automatic clapper system, out-of-sync warning light, lightweight, needs no tripod adapter</p> | 3250.00 |

**MAGAZINE**


- |      |   |         |
|------|---|---------|
| 1301 | <p><b>400' magazine</b><br/>coaxial, snap-on, instant change, new two piece split pressure plate, dual sprocket belt drive, accepts all daylight spools and core loads up to 400' on 2" cores</p> | 2500.00 |
| 1311 | <p><b>Flange (replacement) for magazine 1301 or 2301;</b><br/>accepts core loads, removable for daylight spools</p>   | 110.00  |

**CABLES**


- |      |  |       |
|------|--|-------|
| 1401 | <p><b>Coiled power cable for Beala motor</b><br/>with built-in 68 ohm resistor; 2' - 6', Cannon 4-pin Fe to Cannon 4-pin M</p> | 60.00 |
| 1402 | <p><b>Coiled power cable for Perfectone motors</b><br/>2'-6', Cannon 4-pin Fe to Cannon 4-pin M</p>                            | 60.00 |
| 1411 | <p><b>Sync/bloop cable to Nagra III</b><br/>25', Cannon 3-pin M to Tuchel 6-pin Fe</p>   | 40.00 |
| 1412 | <p><b>Sync/bloop cable to Nagra IV or 4.2</b><br/>25', Cannon 3-pin M to Tuchel 4-pin M</p>                                    | 40.00 |
| 1413 | <p><b>Sync/bloop cable to Stellavox SP7</b><br/>25', Cannon 3-pin M to Preh 5-pin M</p>  | 40.00 |



1101




1102



801P 1802P 1810P

1201



1202


1301



1401

1402


1903



1810

1801

1802



3804


3801



1906



1907



1912

ORDER CODE	DESCRIPTION	PRICE
1804	Angenieux 9.5-95mm f/2.2 T2.8 zoom lens, accepts 4 1/2" round filters	3435.00
1805	Angenieux 12-240mm f/3.5 T4.2 zoom lens, accepts 4 1/2" round filters	6150.00
1806	Angenieux 25-250mm f/3.2 T3.9 zoom lens, accepts 4 1/2" round filters	6350.00
1807	Angenieux 20-120mm f/2.6 T3.0 zoom lens accepts 138mm filters	10,745.00
1810	Canon 12-120mm f/2.2 T2.7 macrozoom lens, accepts 72mm screw-in filters	2150.00

**FIXED FOCAL LENGTH LENSES\*\***

\*\*Specify CA-1 or "C" mount

1851	Angenieux 5.9mm lens f/1.8 T2.0 accepts 93mm filters	1185.00
1852	Angenieux 10mm lens f/1.8 T2.0 accepts SF42S0 filters	385.00
1853	Angenieux 25mm lens f/0.95 T1.1 accepts Series 5.5 filters	650.00

**ZOOM LENSES FOR GV-16 CAMERA**

3801	Angenieux 12-120mm AV30 zoom lens with 1" viewfinder	2905.00
3802	Angenieux 12-120mm AV30 DA zoom lens with 1" viewfinder and auto iris	3980.00
3803	Angenieux 12-120mm AVC zoom lens with 7 1/2" viewfinder	2905.00
3804	Angenieux 9.5-57mm AVC zoom lens with 1" viewfinder	3410.00
3805	Angenieux 9.5-57mm AV30 zoom lens with 7 1/2" viewfinder	3410.00
3806	Angenieux 9.5-95mm AV30 zoom lens with 1" viewfinder	4150.00
3807	Angenieux 9.5-95mm AV30 DA zoom lens with 1" viewfinder and auto iris	5225.00
3808	Angenieux 9.5-95mm AVC zoom lens with 7 1/2" viewfinder	4150.00
3809	Angenieux 12-240mm AZ0 zoom lens with 10" viewfinder	6856.00

**LENS ACCESSORIES**

1901	Turret modification to accept one Arri stainless steel bayonet mount and one "C" mount lens	500.00
1902	Turret modification to accept two "C" mount lenses	350.00
1903	CA-1 bayonet lens mount	150.00
1999	Labor for installation of CA-1 lens mount on customer supplied lens	60.00
1904	CA-1 to "C" mount adapter	160.00
1905	Arri standard to "C" mount adapter	175.00
1906	Arri bayonet and standard to CA-1 mount adapter	150.00
1907	Rear lens cap for CA-1 mounted lens	6.00
1908	Rear lens cap for "C" mounted lens	6.00
1911	Set of data rings for Angenieux 12-120mm zoom lens	75.00
1912	Set of data rings for Angenieux 9.5-57mm zoom lens	90.00
1913	Set of data rings for Angenieux 9.5-95mm zoom lens	110.00
1921	Collapsible rubber sunshade for Angenieux 12-120mm zoom lens	30.00
1922	Collapsible rubber sunshade for Angenieux 9.5-57mm zoom lens	35.00
1923	Collapsible rubber sunshade for Angenieux 10-150mm zoom lens	30.00
1924	Collapsible rubber sunshade for Angenieux 9.5-95mm zoom lens	85.00
1925	Collapsible rubber sunshade for Angenieux 12-240mm zoom lens	85.00
1926	Collapsible rubber sunshade for Angenieux 25-250mm zoom lens	85.00
1927	Collapsible rubber sunshade for Angenieux 20-120mm zoom lens	95.00



1501



1505



1602



1604



1605



1606



1607




1611




1612



1621




1622




1701

1705



1651



1652

**ORDER CODE**

**DESCRIPTION**

**PRICE**

- 1414 Sync/bloop cable to Uher 1200  
25', Cannon 3-pin M to Tuchel 6-pin Fe 40.00
- 1415 Sync/bloop cable to Arrivox-Tandberg  
25', Cannon 3-pin M to Tuchel 6-pin Fe 40.00

**BATTERIES**

- 1501 Mini-Module battery package  
complete with 12V2AH Ni-Cad battery module,  
holder, and fast charger 389.00
- 1502 Mini-Module battery  
12V2AH Ni-Cad module 145.00
- 1503 Mini-Module battery holder  
fits on belt or shoulder strap 50.00
- 1504 Mini-Module fast charger  
charges battery completely in two hours 205.00
- 1505 Maxi-Pack battery  
12V4AH Ni-Cad battery with built-in charger  
and sync/bloop outlet 350.00

**CAMERA ACCESSORIES**

- 1601 Standard matte box  
accepts 2" x 2" filters, primarily for use  
with fixed focal length lenses 450.00
- 1602 Deluxe matte box  
accepts 3" x 3" filters, complete with two sets  
of extender rods, for use with both zoom and  
fixed focal length lenses 725.00
- 1603 Zoom or telephoto lens support 100.00
- 1604 Spare support rod  
for matte boxes or lens support 50.00
- 1605 Spare set of extender rods  
for Deluxe matte box 95.00
- 1606 Sound barney  
lightweight blue duck, reduces camera noise  
by an additional 2 dB 140.00
- 1607 Motor tripod adapter (replacement)  
for Beala motor 300.00
- 1611 Camera aperture and gate protection plate  
(replacement) 34.00
- 1612 Magazine front protection cover (replacement) 14.00
- 1621 CA-1 mount camera cavity cap (replacement) 28.00
- 1622 "C" mount camera cavity cap (replacement) 28.00
- 1699 NPR instruction manual (replacement) 10.00

**VIEWING ACCESSORIES**

- 1701 Angenieux orientable viewfinder (replacement)  
360° rotating viewfinder and eyepiece with constantly  
erect image, left or right eye viewing, iris  
closure ring, ±5 diopter adjustments 785.00
- 1702 Kinoptik 360° rotating viewfinder (special order only)  
both viewfinder and image rotate 360°, pressure of  
the head opens the eyepiece iris, ±5 diopter adjustments 750.00
- 1703 Camera coupling cover cap (replacement) 9.00
- 1704 Viewfinder cover cap (replacement) 9.00
- 1705 Rubber eyecup for viewfinder (replacement) 6.00
- 1706 Foam/chamois eyecushion 3.00
- 1711 TV ground glass (replacement)  
16mm full aperture and TV safe action area markings 115.00
- 1712 Standard ground glass (special order only)  
16mm full aperture markings only 115.00
- 1799 Labor for installation of ground glass 100.00

**CARRYING CASES**

- 1651 Camera and accessory case (replacement)  
fiberglass over wood base reinforced at edges with  
heavy-duty aluminum, filled with dense custom  
die-cut foam inserts 160.00
- 1652 Case for two magazines (replacement)  
fiberglass over wood base reinforced at edges with  
heavy-duty aluminum, fitted foam-padded panels 90.00
- 1653 Case for four magazines  
fiberglass over wood base reinforced at edges with  
heavy-duty aluminum, fitted foam-padded panels 160.00

**ZOOM LENSES\*\***

\*\*Specify CA-1 or "C" mount

- 1801 Angenieux 12-120mm f/2.2 T2.5  
zoom lens, accepts Series 9 filters 2190.00
- 1802 Angenieux 9.5-57mm f/1.6 T1.9  
zoom lens, accepts Series 9 filters 2695.00
- 1803 Angenieux 10-150mm T2.3-T3.2  
close-focus zoom lens, accepts Series 9 filters 2850.00